

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1 – 11 (Cancelled)

12. (Previously Presented) A method of fabricating a semiconductor device having a ferroelectric capacitor, comprising the steps of:
forming an active device element on a substrate;
forming an insulation film over said substrate to cover said active device element;
forming a lower electrode layer of said ferroelectric capacitor over said insulation film, such that said lower electrode is formed on a layer containing Ti;
forming a ferroelectric film on said lower electrode as a capacitor insulation film of said ferroelectric capacitor;
crystallizing said ferroelectric film by applying a thermal annealing process in an O₂ atmosphere under a reduced total pressure in the range between 1 Torr and 40 Torr such that peeling of the ferroelectric film is substantially reduced; and
forming an upper electrode layer on said ferroelectric film.

Claims 13 – 14 (Cancelled)

15. (Previously Presented) A semiconductor device, comprising:
a substrate;
an active device element formed on said substrate;
an insulation film provided over said substrate to cover said active device element;
a lower electrode containing Pt provided over said insulation film;
a PZT ferroelectric film provided on said lower electrode, said PZT ferroelectric film having a columnar microstructure extending from an interface between said lower electrode and said PZT ferroelectric film in a direction substantially perpendicular to a principal surface of said lower electrode, said PZT ferroelectric film generally having a <111> orientation extending continuously from a bottom surface of said PZT ferroelectric film to a top surface of said PZT ferroelectric film and consisting of crystal

grains generally having said $\langle 111 \rangle$ orientation and a substantially uniform grain diameter of less than about 200nm; and

an upper electrode provided on said PZT ferroelectric film.

16. (Previously Presented) A semiconductor device as claimed in claim 15, wherein said crystal grains constituting said PZT ferroelectric film have an average diameter of about 150 nm.

17. (Original) A semiconductor device as claimed in claim 15, wherein said lower electrode comprises a Ti layer and a conductor layer provided further on said Ti layer.

18. (Original) A semiconductor device as claimed in claim 17, wherein said conductor layer is formed of Pt.

19. (Previously Presented) A semiconductor device as claimed in claim 17, wherein said PZT ferroelectric film has a perovskite structure.

Claims 20 – 28 (Cancelled)